



# **TRACKER™ TIMERS**

Models 23, 24, 26, 28, 42, 44, 81, 222, 223




TRACKER<sup>™</sup> Timers insure consistent food quality and enhance food safety by precisely timing multiple products during cooking, holding, grilling and more.

This document contains confidential information. The dissemination, publication, copying, or duplication of this document or the software described herein without prior written authorization is strictly prohibited.



Models 23, 24, 26, 28, 42, 44, 81, 222, 223





### **Food Quality**

Whether keeping product in a holding cabinet or chute, or grilling multiple products simultaneously, even the most well-trained staff is challenged to deliver consistent food product to your customers. The TRACKER™ meets this challenge by precisely timing any combination of products throughout the kitchen, and prompting action with an audible tone and flashing display.

# **Timing Cycles**

Up to three separate timing cycles per product key can be started, allowing you the flexibility to time up to 24 products. The 3 status LEDs illuminate to let you know the progress of each timing cycle. Models 222 & 223 feature 2 status LEDs which illuminate to let you know the progress of each timing cycle pre and post action alarm.

### **Food Safety**

Product that is undercooked, or held too long in the Danger Zone (40°-140°F/5°-60°C) can potentially expose your customers and crew to dangerous food-borne illness. Bacteria multiplication can be prevented by controlling the time a product is cooked and/or held. The TRACKER helps operators avoid food safety dangers by automatically monitoring these cook and hold times.

# **Easy To Use**

Setting the TRACKER is as simple as an alarm clock. Each of the independent product keys can be programmed to count up or down (Models 222 & 223 count down) in minutes and seconds or hours and minutes (up to 99 hours, 59 minutes per cycle) — eliminating human error, and automatically maintaining a higher level of control.

# **Across-the-Kitchen Monitoring**

The large easy-to-read green LED displays, each with three status LEDs, make checking progress of any food product from across the kitchen a cinch. Labor costs are reduced, while food quality is insured.

#### **Peer to Peer Communications**

TRACKERS with optional communication ports (CP) have the ability to automatically transfer time from one TRACKER to another with Master and Satellite pairing. This feature is not applicable to Models 222 and 223.

#### **Display Time or Product Names**

It's your choice. The TRACKER can easily be programmed to display cycle time or product names. Names can be derived from a preloaded library or you can program your own.

This document contains confidential information. The dissemination, publication, copying, or duplication of this document or the software described herein without prior written authorization is strictly prohibited

# TRACKER™ Timers

Models 23, 24, 26, 28, 42, 44, 81, 222, 223





## **Unique Alarm Sounds**

Each TRACKER can be programmed with one of six (6) different alarm sounds, making it easy for the crew to know which unit is sounding.

#### **Volume Control**

The TRACKER comes standard with three programmable volume levels — low, medium and high. Use the TRACKER in the front or rear of the store without disturbing customers.

# **Use It Anywhere**

The TRACKER comes complete with mounting brackets to attach the unit to equipment, holding stations, or walls.

#### **Future Flexibility**

The TRACKER is Smart Commercial Kitchen® network ready and is NAFEM Data Protocol Compliant.

### **After the Sale Support**

Confirmed by independent surveys, Kitchen Brains offers the most responsive, 24/7 lifetime toll-free technical assistance in the business — 12 times faster than the foodservice industry average.

# **Day Part Menu**

For stepping through a dedicated four-stage menu cycle with the touch of a button (on Models 222 & 223 only)

## **Easy to Use**

- Intuitive programming prompts
- Program unique words for product name and action alarm message
- Across-the-kitchen monitoring independent, easy-to-read green LED displays
- 3 status LEDs per product key (2 status LEDs per product key pre- and post-action alarm on Models 222 & 223)
- Displays can show time or product names
- Flexible mounting tilt to see from any angle
- Uses 90-240 volt power
- Count up or down option
- 6 unique alarm sounds
- 3 volume levels
- 4 menu day parts selectable on Models 222 & 223 only

# **Food Quality Improvements**

- 5 stages per product key time, name, cancel mode, alarm time and beep sound (4 parameters per product key — time, name, alarm time and alarm name on Models 222 & 223)
- Flexibility with action alarms
- Individual hold alarms (not applicable to Models 222 & 223)
- Precision and durability with electronics
- Power loss protection

This document contains confidential information. The dissemination, publication, copying, or duplication of this document or the software described herein without prior written authorization is strictly prohibited.

#### **TRACKER™** Timers

Models 23, 24, 26, 28, 42, 44, 81, 222, 223

# Want to learn more about Kitchen Brains™ products?

Visit our website: www.KitchenBrains.com





\*When used with a gateway.







SCK Link® is a registered trademark of Technology Licensing Corporation and use is subject to the appropriate license agreement.



# Why you should select Kitchen Brains.

Anyone who has an appetite for intelligent cooking control solutions should consider Kitchen Brains. We perfected the concept and maintain the highest market share. Our financial stability and experience enable us to consistently enhance our solutions and support our customers. Our customer base includes high-profile foodservice operators and appliance manufacturers, who display a high degree of confidence inselecting Kitchen Brains for mission-critical control applications. Kitchen Brains builds lifecycle relationships by identifying individual customers; differentiating them based on their needs; interacting with them on their terms; and being flexible through nimble manufacturing responsiveness and configurable or customizable solutions at the board or system level.

## **Kitchen Brains is committed to RoHS compliance.**

RoHS (Restrictions on Hazardous Substances) is a European Union (EU) directive that restricts the use of certain hazardous substances in many electrical and electronic products and components. To help identify products that conform to this directive, Kitchen Brains will add this new symbol to our products and literature.







# KITCHEN BRAINS

Driven by (FAST.) Networked by SCK



#### Food Automation - Service Techniques, Inc.

905 Honeyspot Road, Stratford, CT 06615-7147 USA

Phone: +1-203-377-4414 Sales: 1-800-FASTRON Fax: +1-203-377-8187

International Callers: +1-203-378-6860

#### www.KitchenBrains.com

Toll-free technical support 24/7 from the U.S., Canada, and Caribbean: 1-800-243-9271

#### International offices are located in the United Kingdom, China and Singapore:

Europe, Middle East, Africa, South Asia 31 Saffron Court Southfields Business Park Basildon, Essex SS15 6SS ENGLAND Phone: +44 0 1268544000

Asia Pacific 1803, 18F, No 922 Hengshan Rd Shanghai 200030, CHINA Phone: +8613916 854 613

15-101, Block 290G, Bukit Batok St. 24 SINGAPORE 65629

Phone: +65 98315927

Kitchen Brains warrants all new timers, computers, and controllers for 1 year from the date of purchase including computers, controllers, and timers. Kitchen Brains warrants all other items for a period of 90 days unless otherwise stated at the time of purchase.

The products manufactured by Kitchen Brains are protected under one or more of the following U.S. Patents:

5,331,575 5.539.671 5,711,606 5,723,846 6,142,666 6 339 930 5,726,424 5.875.430 6,401,467 6,581,391 7,015,433 7.650.833 7877291 8.060.408

Plus foreign patents and patents pending. Plus licensed patent 5 973 297

This document contains confidential information. The dissemination, publication, copying, or duplication of this document or the software described herein without prior written authorization is strictly prohibited.